

# BRR-P6410A4E

64CH BLAZE アプライアンス

## Key Features

- BLAZE Client、Server、64chプレミアムライセンスがプリインストール
- 最大520Mbpsの録画帯域幅
- (AI) セマンティック検索サポート
- 16台のHDDベイ (3.5インチ)、最大160TB
- 強化されたOS
- RAID 1/5/6サポート
- 3 x RJ-45 (1Gbps)
- NDAA準拠、ULリスト、FCC認証

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

# BRR-P6410A4E

64CH BLAZE アプライアンス



## Specifications

### System

| | | |
|---|---|---|
| Video Management Software | | BLAZE VMS |
| Licenses | | 64 x BLAZE Premium License |
| Available Channels | | Up to 64 channels |
| Recording Rate | | Up to 520Mbps |
| OS Drive Bays | | SSD 128GB |
| Data Drive Bays | | SATA 16ea |
| Data Storage | | Up to 160TB |
| RAID Support | | RAID 1, RAID 5, RAID 6 |
| Network Interface | | 3 x RJ-45 (1Gbps) |
| Memory | | 16GB DDR4 |
| AI Card | | Yes |
| Operating System | | Hardened OS |
| Decoding | Video Outputs | Duplicate: 2 x HDMI(4K),<br>Extend: 1 x HDMI(4K),1 x HDMI(FHD) |
| | Resolution | Decoding Performance (H.264)<br>- UHD Duplicate Mode: 26CH*8M@15fps, 64CH*2M@15fps, 64CH*640x360@7fps<br>- UHD/FHD Extend Mode: (14CH+14CH)*8M@15fps, (32CH+32CH)*2M@15fps, (32CH+32CH)*640x360@7fps |
| USB Ports | | Front 2 x USB 2.0<br>Rear 2 x USB 3.0 |
| Audio | Output | 1x Audio output |
| | Audio Communication | 2-Way (Audio In: USB Mic) |
| Keyboard & Mouse | | Keyboard, Mouse |

### Mechanical

| | |
|---|---|
| Form Factor | 3U rack |
| Color / Material | Black / Metal |
| Dimensions (WxHxD) | 17.32"(440mm) x 5.20"(132mm) x 22.48"(571.1mm) |
| Weight | 31.3 lbs (14.2kg) |

### Electrical

| | |
|---|---|
| Power Input | 100 ~ 240 VAC ±10%, 50/60 Hz |

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

## Electrical

| | |
|---|---|
| Power Consumption | 283W (965.6 BTU) |

## Environmental

| | |
|---|---|
| Operating Temperature | 32°F to 104°F(0°C to 40°C) |
| Operating Humidity | 20% to 85% RH (non-condensing) |

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

# BRR-P6410A4E

64CH BLAZE アプライアンス



## CAD

**Unit:** mm [inch]




© Hanwha Vision Co.,Ltd. All rights reserved.

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.