



# BRR-X3210A4E

32채널 BLAZE 어플라이언스



## Key Features

- 기본 탑재 BLAZE Client, Server 및 32채널 프리미엄 라이선스
- 최대 250Mbps 녹화 대역폭
- 16개의 HDD 베이 (3.5"), 최대 160TB
- RAID 1/5/6 지원
- 강화된 OS
- 3 x RJ-45 (1Gbps)
- NDAA 준수, UL 등재, FCC 인증.

# BRR-X3210A4E

32채널 BLAZE 어플라이언스



## Specifications

| System                    |                     |                                                                                                                                                                                                    |
|---------------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Video Management Software |                     | BLAZE VMS                                                                                                                                                                                          |
| Licenses                  |                     | 32 x BLAZE Premium License                                                                                                                                                                         |
| Available Channels        |                     | Up to 32 channels                                                                                                                                                                                  |
| Recording Rate            |                     | Up to 250Mbps                                                                                                                                                                                      |
| OS Drive Bays             |                     | SSD 128GB                                                                                                                                                                                          |
| Data Drive Bays           |                     | SATA 16ea                                                                                                                                                                                          |
| Data Storage              |                     | Up to 160TB                                                                                                                                                                                        |
| RAID Support              |                     | RAID 1, RAID 5, RAID 6                                                                                                                                                                             |
| Network Interface         |                     | 3 x RJ-45 (1Gbps)                                                                                                                                                                                  |
| Memory                    |                     | 16GB DDR4                                                                                                                                                                                          |
| Operating System          |                     | Hardened OS                                                                                                                                                                                        |
| Decoding                  | Video Outputs       | Duplicate: 2 x HDMI (4K),<br>Extend: 1 x HDMI (4K), 1 x HDMI (FHD)                                                                                                                                 |
|                           | Resolution          | Decoding Performance (H.264) - UHD Duplicate Mode:<br>9CH*8M@15fps, 27CH*2M@15fps,<br>32CH*640x360@7fps - UHD/FHD Extend Mode: (3CH+3CH)*8M@15fps,<br>(6CH+6CH)*2M@15fps, (16CH+16CH)*640x360@7fps |
| USB Ports                 |                     | Front 2 x USB 2.0 Rear 2 x USB 3.0                                                                                                                                                                 |
| Audio                     | Output              | 1x Audio output                                                                                                                                                                                    |
|                           | Audio Communication | 2-Way (Audio In: USB Mic)                                                                                                                                                                          |
| Keyboard & Mouse          |                     | Keyboard, Mouse                                                                                                                                                                                    |
| Mechanical                |                     |                                                                                                                                                                                                    |
| Form Factor               |                     | 3U rack                                                                                                                                                                                            |
| Color / Material          |                     | Black / Metal                                                                                                                                                                                      |
| Dimensions (WxHxD)        |                     | 17.32" (440mm) x 5.20" (132mm) x 22.48" (571.1mm)                                                                                                                                                  |
| Weight                    |                     | 31.1 lbs (14.1kg)                                                                                                                                                                                  |
| Electrical                |                     |                                                                                                                                                                                                    |
| Power Input               |                     | 100 ~ 240 VAC ± 10%, 50/60 Hz                                                                                                                                                                      |
| Power Consumption         |                     | 220W (750.7 BTU)                                                                                                                                                                                   |

---

**Environmental**

---


|                       |                                |
|-----------------------|--------------------------------|
| Operating Temperature | 32°F to 104°F (0°C to 40°C)    |
| Operating Humidity    | 20% to 85% RH (non-condensing) |

**BRR-X3210A4E**  
32채널 BLAZE 어플라이언스



**CAD**

Unit: mm [inch]



© Hanwha Vision Co.,Ltd. All rights reserved.