

Analog Dome

HCV-7030RA

4MP アナログ IR付 耐衝撃ドームカメラ

Key Features

- 4MP (2560 x 1440、30fps) の解像度
- 0.27Lux@F2.0 (カラー) (HCV-7020R/7030R)、0Lux (白黒：IR LEDオン)
- 6.0mm固定レンズ (HCV-7030R)
- デイナイト (ICR)、DWDR、モーション検知
- IR照射距離30m (7030R)
- 最大伝送距離500m
- 簡単設置、IP66、IK10

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

HCV-7030RA

4MP アナログ IR付 耐衝撃ドームカメラ



Specifications

映像

Imaging Device	サイズ	1/3"
	タイプ	CMOS
解像度		2560x1440
Max. Framerate(NTSC/PAL)		30fps/25fps
Min. Illumination	Color(1/30sec, 30IRE)	0.27
	BW(1/30sec, 30IRE)	0.027
Video Out		CVBS: 1.0Vp-p / 75Ω composite,720x480(N),720x576(P) for installation, BNC: AHD
Video Transmission Distance		500m(5C2V Coaxial Cable)

レンズ

Focal Length (mm)		6.0
Max Aperture Ratio (F number)	Wide	2.0
視野角度	Horizontal	49.01°
	Vertical	27.61°
	Diagonal	55.60°
Min. Object Distance		0.5m(1.64ft)

Pan / Tilt / Rotate

Pan / Tilt / Rotate Range	Pan	0°~350°
	Tilt	0°~67°
	回転	0°~355°

技能

Day & Night		Auto(ICR)
Backlight Compensation		BLC, HLC , DWDR
Digital Noise Reduction		2DDNR
モーション検知	Quantity	4ea
Privacy Masking	Quantity	2ea
ゲイン制御		低, 中, 高, 最高

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

技能

ホワイトバランス		ATW, AWC, 手動, 室内, 屋外
Electronic Shutter	Speed Range	1/30~1/12,000sec(N), 1/25~1/12,000sec(P)
ビデオ回転		FLIPモード, ミラー
IR Viewable Length		30m(98.43ft)
Coaxial Protocol		ACP, CVBS

分析

分析イベント	通常	モーション検知

Environmental & Electrical

動作条件	温度	-30°C~+55°C(-22°F~+131°F)
	湿度	0~90% RH(non-condensing)
	その他	Start up should be done at above -10°C
Input Voltage		12VDC
消費電力	12VDC	Max 5W

Mechanical

カラー	Ivory
材料	アルミニウム
Product Dimensions	Ø120.3x91.7mm(4.74x3.61")
Product Weight	510g(1.12lb)

Certifications & Standards

環境	IEC 60529 IP66, IEC 62262 IK10

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


HCV-7030RA

4MP アナログ IR付 耐衝撃ドームカメラ



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Compatible Devices



SBP-300CM



SBP-300PM



SBP-300KM



SBP-300WM1



SBP-300LM



SBP-390WM2



SBP-300WM



SBP-300B



SBP-122HM



SPB-VAN12



SBP-300NB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.