

Network

PNM-9000VQ

2МП/5МП x 4CH Мультисенсорная камера

Key Features

- Сменные модули объектива 4 шт. x 2 Мп/5 Мп
- Разрешение от 8 Мп до 20 Мп
(зависит от комбинации модулей объектива)
- До 60 кад/с при 2 Мп, до 30 кад/с при 5 Мп (H.265 / H.264)
- WDR 150 дБ для модуля объектива 2 Мп, 120 дБ для модуля объектива 5 Мп
- Объектив 2,4 мм, 2,8 мм, 3,6 мм, 6 мм с постоянным фокусом (модуль 2 Мп)
- Объектив 3,7 мм, 4,6 мм, 7 мм с постоянным фокусом (модуль 5 Мп)
- Поддержка кодеков H.265, H.264, MJPEG, многоканальная передача видео
- Видеоаналитика, WiseStream II
- IP66, IK10, 4 слота для карт памяти SD / SDHC / SDXC

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Compatible lenses

the specifications for lenses


SLA-2M2800Q


SLA-5M7000Q


SLA-2M2400Q


SLA-2M6000Q


SLA-2M3600Q


SLA-5M3700Q


SLA-5M4600Q

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

PNM-9000VQ


2МП/5МП x 4CH Мультисенсорная камера





CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Compatible Devices



SBP-300CM



SBP-300PM



SBP-300KM



SBP-300WM1



SBP-300LM



SBP-390WM2



SBP-300WM



SBP-276HM



SBP-300B



SHD-3000F5

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.