

Network

PNM-9081VQ

20MP Multi-sensor, multi-directional camera

Key Features

- Max 20MP @ 30fps, 5MP X 4 sensors using one IP address
- Motorized vari-focal 3.6 ~ 9.4mm (FOV: 102.5? ~ 38.7?)
- Triple codec: H.265, H.264 and MJPEG multiple streaming
- WiseStream II compression technology
- WDR 120dB @ 20MP @30fps
- Loitering, directional detection, fog detection, tampering, motion detection, object enter or exit an area
- Hallway view
- SD cards (each channel has its own)
- Gyro sensor for digital image stabilization
- Power: HPoE (HPoE adaptor is included) or 12VDC

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

PNM-9081VQ

20MP Multi-sensor, multi-directional camera



CAD


Unit: mm [inch]

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.