



## PRO-224X Series Servers

Enterprise Class 2U 24 Bay Rackmount  
Video Recording Servers

### Key Features

- Hanwha Vision Middle East and Africa Exclusive
- \*Supports Up to 512 Channels
- Pre-Installed Wisenet SSM VMS
- Dual Intel® Xeon® Silver Scalable Processors
- Supports Storage Up to 480TB
- Windows Server 2022 IoT
- SATA & SAS
- RAID 0, 1, 5, 6, 10
- iDRAC Enterprise
- Redundant Power
- 5 Year On-Site, NBD, Keep Your Hard Drive Warranty

# PRO-224X Series Servers

Enterprise Class 2U 24 Bay Rackmount Video Recording Servers



| PRO-224X Series Servers          |                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>System</b>                    |                                                                                                                                                                                                                                                                                                                                   |
| Operating System                 | Windows Server 2022 IoT                                                                                                                                                                                                                                                                                                           |
| Memory                           | 64GB (4x16GB) DDR5, RDIMM 4800 MT/s                                                                                                                                                                                                                                                                                               |
| Storage                          | M.2 SSD 2x480GB On RAID 1                                                                                                                                                                                                                                                                                                         |
| Processor                        | (2) Intel Xeon Silver 4410Y Scalable Processors (12Core, 24 Threads, Base Frequency 2.00GHz, Turbo Frequency 3.90GHz)                                                                                                                                                                                                             |
| Networking                       | (2) 1GbE RJ45 Ports, (2) 10/25Gb SFP28 OCP NIC 3.0                                                                                                                                                                                                                                                                                |
| PCIe                             | 1 PCIe slots (1 x 16 Gen4)                                                                                                                                                                                                                                                                                                        |
| Ports                            | 1 x USB 2.0, 1 x USB 3.0, 1 x VGA                                                                                                                                                                                                                                                                                                 |
| Video Outputs                    | 1xVGA                                                                                                                                                                                                                                                                                                                             |
| Remote Management                | iDRAC9                                                                                                                                                                                                                                                                                                                            |
| <b>Storage</b>                   |                                                                                                                                                                                                                                                                                                                                   |
| Hard Drive Bays                  | (24) 3.5" Hot Swappable Bays, (2) M.2 SSD Slots                                                                                                                                                                                                                                                                                   |
| Maximum Storage                  | up to 480TB of RAW Storage (20TB)                                                                                                                                                                                                                                                                                                 |
| Hard Drive Supported             | PCIe NVMe, SSD, SAS & SATA                                                                                                                                                                                                                                                                                                        |
| RAID                             | RAID 0, 1, 5, 6, 10                                                                                                                                                                                                                                                                                                               |
| RAID Controller                  | PERC H755 Controller with 8Gb NVME Cache                                                                                                                                                                                                                                                                                          |
| <b>Recording Rate Throughput</b> |                                                                                                                                                                                                                                                                                                                                   |
| Recording Rate                   | 128Channel – Up to 700Mbps, 256Channel - Up to 1.5Gbps<br>384Channel - Up to 2Gbps, *512Channel - Up to 2.7Gbps<br><small>* The calculation is based upon these parameters: 1080p @ 30fps, 5Mbps/Channel H.264</small><br><small>* Compatible with other Third-party VMS (for more details please contact our sales team)</small> |
| <b>Mechanical</b>                |                                                                                                                                                                                                                                                                                                                                   |
| Form Factor                      | 2U                                                                                                                                                                                                                                                                                                                                |
| Power Supply                     | 2x1100W (100-240VAC) Platinum                                                                                                                                                                                                                                                                                                     |
| Operating Temperature            | (Min) 50° F – (Max) 95° F, (Min) 10° C – (Max) 35° C                                                                                                                                                                                                                                                                              |
| Operating Humidity               | 10 ~ 80% (non-condensing)                                                                                                                                                                                                                                                                                                         |
| Heat Dissipation                 | 4125 Max BTU/hr                                                                                                                                                                                                                                                                                                                   |
| Dimensions (WxDxH)               | 18.97" (482mm) x 34.36" (872.74mm) x 3.39" (86.8mm)                                                                                                                                                                                                                                                                               |
| Max. Weight                      | 102.07 lbs. (46.3Kg)                                                                                                                                                                                                                                                                                                              |
| Warranty                         | 5 Years On-Site, Next Business Day, Keep your Hard Drive Warranty                                                                                                                                                                                                                                                                 |

## Ordering Model Codes (SKU's)

| Models                                                                                                                                 |                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRO-224X-252-12</b><br><b>PRO-1-224X-252-12</b><br><b>PRO-2-224X-252-12</b><br><b>PRO-3-224X-252-12</b><br><b>PRO-4-224X-252-12</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (21)x12TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-264-12</b><br><b>PRO-1-224X-264-12</b><br><b>PRO-2-224X-264-12</b><br><b>PRO-3-224X-264-12</b><br><b>PRO-4-224X-264-12</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (22)x12TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-276-12</b><br><b>PRO-1-224X-276-12</b><br><b>PRO-2-224X-276-12</b><br><b>PRO-3-224X-276-12</b><br><b>PRO-4-224X-276-12</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (23)x12TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-288-12</b><br><b>PRO-1-224X-288-12</b><br><b>PRO-2-224X-288-12</b><br><b>PRO-3-224X-288-12</b><br><b>PRO-4-224X-288-12</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (24)x12TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-208-16</b><br><b>PRO-1-224X-208-16</b><br><b>PRO-2-224X-208-16</b><br><b>PRO-3-224X-208-16</b><br><b>PRO-4-224X-208-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (13)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-224-16</b><br><b>PRO-1-224X-224-16</b><br><b>PRO-2-224X-224-16</b><br><b>PRO-3-224X-224-16</b><br><b>PRO-4-224X-224-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (14)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-240-16</b><br><b>PRO-1-224X-240-16</b><br><b>PRO-2-224X-240-16</b><br><b>PRO-3-224X-240-16</b><br><b>PRO-4-224X-240-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (15)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-256-16</b><br><b>PRO-1-224X-256-16</b><br><b>PRO-2-224X-256-16</b><br><b>PRO-3-224X-256-16</b><br><b>PRO-4-224X-256-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (16)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-272-16</b><br><b>PRO-1-224X-272-16</b><br><b>PRO-2-224X-272-16</b><br><b>PRO-3-224X-272-16</b><br><b>PRO-4-224X-272-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (17)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-288-16</b><br><b>PRO-1-224X-288-16</b><br><b>PRO-2-224X-288-16</b><br><b>PRO-3-224X-288-16</b><br><b>PRO-4-224X-288-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (18)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |

## Ordering Model Codes (SKU's)

| Models                                                                                                                                 |                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRO-224X-304-16</b><br><b>PRO-1-224X-304-16</b><br><b>PRO-2-224X-304-16</b><br><b>PRO-3-224X-304-16</b><br><b>PRO-4-224X-304-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (19)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-320-16</b><br><b>PRO-1-224X-320-16</b><br><b>PRO-2-224X-320-16</b><br><b>PRO-3-224X-320-16</b><br><b>PRO-4-224X-320-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (20)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-336-16</b><br><b>PRO-1-224X-336-16</b><br><b>PRO-2-224X-336-16</b><br><b>PRO-3-224X-336-16</b><br><b>PRO-4-224X-336-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (21)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-352-16</b><br><b>PRO-1-224X-352-16</b><br><b>PRO-2-224X-352-16</b><br><b>PRO-3-224X-352-16</b><br><b>PRO-4-224X-352-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (22)x16TB HDD (2) 1GbE, (2) 10/25Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-368-16</b><br><b>PRO-1-224X-368-16</b><br><b>PRO-2-224X-368-16</b><br><b>PRO-3-224X-368-16</b><br><b>PRO-4-224X-368-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (23)x16TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD.    |
| <b>PRO-224X-384-16</b><br><b>PRO-1-224X-384-16</b><br><b>PRO-2-224X-384-16</b><br><b>PRO-3-224X-384-16</b><br><b>PRO-4-224X-384-16</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (24)x16TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD.    |
| <b>PRO-224X-260-20</b><br><b>PRO-1-224X-260-20</b><br><b>PRO-2-224X-260-20</b><br><b>PRO-3-224X-260-20</b><br><b>PRO-4-224X-260-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (13)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD.    |
| <b>PRO-224X-280-20</b><br><b>PRO-1-224X-280-20</b><br><b>PRO-2-224X-280-20</b><br><b>PRO-3-224X-280-20</b><br><b>PRO-4-224X-280-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (14)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD.    |
| <b>PRO-224X-300-20</b><br><b>PRO-1-224X-300-20</b><br><b>PRO-2-224X-300-20</b><br><b>PRO-3-224X-300-20</b><br><b>PRO-4-224X-300-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (15)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD.    |
| <b>PRO-224X-320-20</b><br><b>PRO-1-224X-320-20</b><br><b>PRO-2-224X-320-20</b><br><b>PRO-3-224X-320-20</b><br><b>PRO-4-224X-320-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (16)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD.    |

## Ordering Model Codes (SKU's)

| Models                                                                                                                                 |                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PRO-224X-340-20</b><br><b>PRO-1-224X-340-20</b><br><b>PRO-2-224X-340-20</b><br><b>PRO-3-224X-340-20</b><br><b>PRO-4-224X-340-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (17)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-360-20</b><br><b>PRO-1-224X-360-20</b><br><b>PRO-2-224X-360-20</b><br><b>PRO-3-224X-360-20</b><br><b>PRO-4-224X-360-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (18)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-380-20</b><br><b>PRO-1-224X-380-20</b><br><b>PRO-2-224X-380-20</b><br><b>PRO-3-224X-380-20</b><br><b>PRO-4-224X-380-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (19)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-400-20</b><br><b>PRO-1-224X-400-20</b><br><b>PRO-2-224X-400-20</b><br><b>PRO-3-224X-400-20</b><br><b>PRO-4-224X-400-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (20)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-420-20</b><br><b>PRO-1-224X-420-20</b><br><b>PRO-2-224X-420-20</b><br><b>PRO-3-224X-420-20</b><br><b>PRO-4-224X-420-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (21)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-440-20</b><br><b>PRO-1-224X-440-20</b><br><b>PRO-2-224X-440-20</b><br><b>PRO-3-224X-440-20</b><br><b>PRO-4-224X-440-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (22)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-460-20</b><br><b>PRO-1-224X-460-20</b><br><b>PRO-2-224X-460-20</b><br><b>PRO-3-224X-460-20</b><br><b>PRO-4-224X-460-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (23)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |
| <b>PRO-224X-480-20</b><br><b>PRO-1-224X-480-20</b><br><b>PRO-2-224X-480-20</b><br><b>PRO-3-224X-480-20</b><br><b>PRO-4-224X-480-20</b> | 2U 24 bay, (2) Intel Xeon Silver 4410 Scalable Processor, 12Core, 2x480GB M.2 Boss Card on RAID 1 for OS, 64GB RAM, (24)x20TB HDD (2) 1GbE, (2) 10Gb SFP, PERC H755 8GB NV Cache RAID Controller, iDRAC Enterprise 16G, (2) 800W PSU, Windows Server 2022 IoT, 5Yrs Warranty with KYHD. |

- Design and Specifications are subject to change without notice
- For HVME Projects Only
- Compatible with other Third-party VMS  
(for more details please contact our sales team)
- 384ch and 512Ch servers comes with SAS Drives only
- Model Identification

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P | R | O | - | 1 | - | 2 | 2 | 4 | X | - | 4 | 8 | 0 | - | 2 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

- P – Professional
- R – Recorder
- O – Recorder Only
- 1- No of Channel (1- 128, 2-256, 3-384, 4-512)
- 2 – No. of U (1-1U, 2-2U)
- 24 - No of Bay (04- 4 Bay, 08-8 Bay, 12- 12 Bay, 24- 24Bay)
- X- Dual CPU
- 480- Total Storage capacity can support
- 20 – HDD Type.

— POWERED BY —  


Design and specifications are subject to change without notice. The latest product information / specification can be found at [HanwhaVision.com/ar/](https://HanwhaVision.com/ar/)  
Hanwha Vision is formerly known as Hanwha Techwin.