

Converter

User Guide

VER 2.13



Converter

User Guide

Copyright

©2023 Hanwha Vision Co., Ltd. All rights reserved.

Trademark

Each of trademarks herein is registered. The name of this product and other trademarks mentioned in this manual are the registered trademark of their respective company.

Restriction

Copyright of this document is reserved. Under no circumstances, this document shall be reproduced, distributed, or changed, partially or wholly, without formal authorization.

Disclaimer

Hanwha Vision makes the best to verify the integrity and correctness of the contents in this document, but no formal guarantee shall be provided.

Use of this document and the subsequent results shall be entirely on the user's own responsibility. Hanwha Vision reserves the right to change the contents of this document without prior notice.

CONTENTS

About the User Manual4

About Copyright.....4

Summary.....5

Before Getting Started5

Get Started with the Program.....6

Secure Free Space7

Convert the Recording Data8

Play the Recorded Video after Conversion 10

ABOUT THE USER MANUAL

This document is a user guide for the **Converter** program that converts data recorded in version SSM 1.60.6 / 2.00.2 to make it searchable in version SSM 2.10.1 or later.

- Before using this product, please read this user guide carefully so you can use the product properly.
- The content of this guide is subject to change depending on the product software updates and the company policies. It is subject to partial changes without prior notification to users.

ABOUT COPYRIGHT

©2023 Hanwha Vision Co., Ltd. All rights reserved.

This user guide is copyrighted under copyright law.

You may not duplicate, transmit, distribute, translate, or change any part or all of the user guide to any electronic or machine-readable forms without the consent of Hanwha Vision Co., Ltd.

SUMMARY

Version SSM 2.10.1 has refined the structure of the recording data to improve recording and playback performance. When you upgrade from version SSM 1.60.6 / 2.00.2 to version SSM 2.10.1 or later, you cannot search or play the recording data from the previous version. To confirm the recording data from the previous version, use the **Converter** program to convert the recording data from the previous version to the recording data format of the latest version.

BEFORE GETTING STARTED

Prepare the following items to use the **Converter**.

1. Export recording data to a separate recording device before upgrading the SSM to prevent the loss of essential recording data.
2. Download the **Converter** program from the Hanwha Vision homepage and copy it to the server where the **SSM Core Server** is installed.
3. In the **SSM Core Server**, secure free space in the remaining disks except for the system disk.
 - When you click the **Delete data** button in the **Converter** program, you can easily secure free space by deleting the data with the oldest recorded date. Export before deleting the data.
 - When there is not enough free space, the converted recording data can be overwritten due to insufficient recording space.
4. Upgrade from version SSM 1.60.6 / 2.00.2 to version SSM 2.10.1 or later.




NOTE

- The real-time video from the camera is recorded simultaneously during data conversion.
- It takes more than 10 days to convert 30 TB of recording data.
- Hanwha Vision's homepage address is <https://www.HanwhaVision.com>.
- If you upgrade from version SSM 1.60.6 or earlier to version SSM 2.10.1 or later, then recording data conversion is not supported.

Get Started with the Program

Run the Converter program.

1. In the server where the **SSM Core Server** is installed, go to the location where the **Converter** program is copied.
2. Double click the **Converter** program.
 - The **Converter** program appears as follows:



NOTE

The dates shown in Date list are based on UTC. Since Korea Standard Time is UTC +09:00, conversion will start from 9 hours after the selected date.

Secure Free Space

Secure enough free space on the disk before converting the recording data.

When you secure free space, it is recommended to delete the data with the oldest recorded date. However, if there is any essential data among the oldest data, then export it and keep it before deleting the oldest data.

1. Select the desired date from **Date**.
2. Click the **Delete data** button under the **Converter** program.
 - Regardless of the camera, only data from the selected date will be deleted from the recording data.




NOTE

When there is not enough free space secured, data conversion may stop, or the converted recording data may be overwritten.

Convert the Recording Data

Here, we will learn how to convert the recording data from version SSM 1.60.6 / 2.00.2 to the recording data of version SSM 2.10.1.


1. Select the desired date from **Date**. Click **Select all** to select all dates.
2. Click the **Start** button. The recording data with the selected date is converted.
 - Time remaining and Time taken are displayed in the dialog box.



NOTE

- Click the **Cancel** button to stop the conversion.
- You can confirm records of the conversion process done on the recording data in the **Result**.

3. Check the disk performance in the resource monitor in task manager (performance tab).
 - If the Highest Active Time exceeds 60%, Converter performance adjustment is required.
 - You can adjust DELAY_TIME from 1 to 100 steps by opening the converter.ini file.
 - The larger the value, the slower the Converter conversion and the lower the Highest Active time.
 - When adjusting the step, Converter must be run again to apply.



Play the Recorded Video after Conversion

When you convert the data, you can search or play the recording data from the previous version in version SSM 2.10.1. For details, please refer to the **SSM Console Client User Manual**.

