

SBO-BPM0

Otočný držák pro kamery Mono BCR

Key Features

- Materiál: Nerezová ocel (SUS316L)
- Velikost montážního šroubu (šestihranný šroub): 6mm
- Maximální zatížení: 5kg
- Úhel nastavení: 0 ~ 120
- Podporované produkty: TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SBO-BPM0

Otočný držák pro kamery Mono BCR





Specifications

Mechanické parametry

Barva	Silver
Materiál	Stainless(SUS316L)
Rozměry / hmotnost výrobku	W55mm * H63mm * D59mm / 190g
Úhel nastavení	0 ~ 120°
Velikost montážního šroubu	Hexagonal screw, 6mm
Max. zatížení	5kg
Podporované výrobky	TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SBO-BPM0


Otočný držák pro kamery Mono BCR





CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.