

SBO-BPM0

Schwenkhalterung für Mono BCR-Kameras

Key Features

- Material: Edelstahl (SUS316L)
- Montageschraubengröße (Sechskantschraube): 6mm
- Maximale Belastung: 5kg
- Einstellwinkel: 0 ~ 120
- Unterstützte Produkte: TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SBO-BPM0

Schwenkhalterung für Mono BCR-Kameras



Specifications

Mechanisch

Farbe	Silver
Material	Stainless(SUS316L)
Produktabmessungen / Gewicht	W55mm * H63mm * D59mm / 190g
Einstellwinkel	0 ~ 120°
Größe der Montageschraube	Hexagonal screw, 6mm
Max. Belastung	5kg
Unterstützte Produkte	TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SBO-BPM0

Schwenkhalterung für Mono BCR-Kameras



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.