

SBO-BPM0

Soporte pivotante para cámaras Mono BCR

Key Features

- Material: Acero inoxidable (SUS316L)
- Tamaño del tornillo de montaje (tornillo hexagonal): 6mm
- Carga máxima: 5kg
- Ángulo de ajuste: 0 ~ 120
- Productos compatibles: TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SBO-BPM0

Soporte pivotante para cámaras Mono BCR



Specifications

Mecánico

Color	Silver
Material	Stainless(SUS316L)
Dimensiones y peso del producto	W55mm * H63mm * D59mm / 190g
Ángulo de ajuste	0 ~ 120°
Tamaño tornillo de montaje	Hexagonal screw, 6mm
Carga máx.	5kg
Productos admitidos	TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SBO-BPM0

Soporte pivotante para cámaras
Mono BCR



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.