

SBO-BPM0

Support pivotant pour caméras Mono BCR

Key Features

- Matériau : Acier inoxydable (SUS316L)
- Taille de la vis de montage (vis hexagonale) : 6mm
- Charge maximale : 5kg
- Angle de réglage : 0 ~ 120
- Produits pris en charge : TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SBO-BPM0

Support pivotant pour caméras
Mono BCR



Specifications

Mécanique

Couleur	Silver
Matériau	Stainless(SUS316L)
Dimensions / Poids du produit	W55mm * H63mm * D59mm / 190g
Angle d'ajustement	0 ~ 120°
Taille de vis de fixation	Hexagonal screw, 6mm
Charge maximale	5kg
Produit pris en charge	TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SBO-BPM0

Support pivotant pour caméras
Mono BCR



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.