

SBO-BPM0

Supporto pivot per telecamere Mono BCR

Key Features

- Materiale: Acciaio inossidabile (SUS316L)
- Dimensione vite di montaggio (vite esagonale): 6mm
- Carico massimo: 5kg
- Angolo di regolazione: 0 ~ 120
- Prodotti supportati: TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SBO-BPM0

Supporto pivot per telecamere
Mono BCR



Specifications

Meccanico

Colore	Silver
Materiale	Stainless(SUS316L)
Dimensioni / peso del prodotto	W55mm * H63mm * D59mm / 190g
Angolo di regolazione	0 ~ 120°
Dimensione vite di montaggio	Hexagonal screw, 6mm
Carico max.	5kg
Prodotti supportati	TNS-7000M

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SBO-BPM0


Supporto pivot per telecamere
Mono BCR





CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.