



Analog

Dome

SCV-6085R

2MP Analog IR Vandal Dome Camera



Key Features

- Full HD (1,920 x 1,080 30fps) resolution
- 0.11Lux (Color), 0Lux (B/W : IR LED on)
- 3.2 ~ 10mm (3.1x) varifocal lens
- Day & Night (ICR), Motion detection
- IR viewable length 30m (98.42ft)
- Transmission distance max. 500m

SCV-6085R

2MP Analog IR Vandal Dome Camera



Specifications

映像

Imaging Device	サイズ	1/2.8"
	タイプ	CMOS
解像度		1920x1080
Max. Framerate(NTSC/PAL)		30fps/25fps
Min. Illumination	Color(1/30sec, 30IRE)	0.11
	BW(1/30sec, 30IRE)	0.011
Video Out		BNC: AHD
Video Transmission Distance		500m(5C2V Coaxial Cable)

レンズ

Focal Length (mm)		3.2~10
Optical Zoom Ratio		3.1x
Max Aperture Ratio (F number)	Wide	1.6
視野角度	Horizontal	110.2°~32°
	Vertical	55.4°~18°
	Diagonal	128.4°~36.6°
Min. Object Distance		0.5m(1.64ft)
Focus Control		手動
Lens Type		DC auto iris(IR corrected)

Pan / Tilt / Rotate

Pan / Tilt / Rotate Range	Pan	0°~350°
	Tilt	0°~67°
	回転	0°~355°

技能

Day & Night	Auto(ICR)
Backlight Compensation	BLC, HLC, DWDR
Digital Noise Reduction	SSNRIV

技能

Digital Image Stabilization		サポート
曇り除去		サポート
モーション検知	Quantity	4ea
Privacy Masking	Quantity	8ea
	Shape	Rectangular zones
ゲイン制御		低, 中, 高, 最高
ホワイトバランス		ATW, AWC, 手動, 室内, 屋外
Electronic Shutter	Speed Range	1~1/12,000sec
ビデオ回転		FLIPモード, ミラー, Hallway view(90°/270°)
Alarm Interface	In/Out	Output 1ea
Alarm Triggers		分析
Alarm Events When Alarm Trigger Occurred		アラーム出力
IR Viewable Length		30m(98.42ft)
Coaxial Protocol		ACP, CVBS

分析

分析イベント	通常	モーション検知
--------	----	---------

Environmental & Electrical

動作条件	温度	-30°C~+55°C(-22°F~+131°F)
	湿度	0~90% RH(non-condensing)
	その他	Start up should be done at above -10°C
Input Voltage		24VAC, 12VDC
消費電力	12VDC	0.46A
	24VAC	0.45A

Mechanical

カラー	Ivory
材料	アルミニウム
Product Dimensions	Ø137 x 106.1mm (Ø5.39" x 4.18")
Product Weight	715g(1.58lb)

DORI (EN62676-4 standard)

Detect (25PPM/ 8PPF)	Wide	26.8m(87.89ft)
	Tele	133.9m(439.36ft)
Observe (63PPM/ 19PPF)	Wide	10.7m(35.16ft)
	Tele	53.6m(175.74ft)

DORI (EN62676-4 standard)

Recognize (125PPM/ 38PPF)	Wide	5.4m(17.58ft)
	Tele	26.8m(87.87ft)
Identify (250PPM/ 76PPF)	Wide	2.7m(8.79ft)
	Tele	13.4m(43.94ft)

SCV-6085R

2MP Analog IR Vandal Dome Camera



CAD

Unit: mm [inch]

