

SHB-9000H



SHB-9000H


Термокожух для установки корпусных камер



Key Features

- Совместимость с камерой TNB-9000
- Материал
 - Корпус/солнцезащитный козырек: алюминий
 - Передняя и задняя крышки: АБС-пластик
- Рабочая температура: -50°C - +60°C (-58°F - +140°F) / относительная влажность 10-100% (с образованием конденсата)
- Масса: 6,2 кг (13,67 фунта)
- Цвет: белый
- IP66

Compatible Devices



SBP-300KMW1



TNB-9000

SHB-9000H

Термокожух для установки корпусных камер



Specifications

Environmental

Operating Temperature / Humidity	-50°C~+60°C / 10~100% RH(condensing)
Storage Temperature / Humidity	-50°C~+60°C / 0~90% RH
Fan/Heater	Support (Thermostat controlled)
Certification	IP66

Electrical

Input Voltage	220VAC
Power Consumption	AC Fan(10W): 5Wx2EA / AC Heater(50W): 3.7W(Max. 50W)x2EA

Mechanical

Color	White
Material	Aluminum
RAL code	RAL9003
Product dimensions / weight	300x184x700mm / 6,200g
Supported products	TNB-9000 ※ For further compatible models, please visit our website or use Toolbox

SHB-9000H

Термокожух для установки
корпусных камер



CAD

Unit: mm [inch]

