

SLA-F2480WA

Módulo de lente impermeable de 5MP

Key Features

- Diseño cilíndrico compacto
- Longitud focal fija de 2.4mm
- Campo de visión horizontal (HFoV) de 128°
- Clasificación IP66 y NEMA 4X para una durabilidad ambiental robusta
- Cable de 8m para una instalación flexible
- Compatible con PNM-C20000QB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-F2480WA

Módulo de lente impermeable de 5MP



Specifications

Vídeo

Dispositivo de imagen	Tamaño	1/2.8"
	Tipo	CMOS
Mín. Iluminación (Lux)	Color(1/30seg., 30IRE)	0.1
	B/N(1/30seg., 30IRE)	0.1

Objetivo

Longitud focal (mm)		2.4
Máx. Relación de apertura (número F)	Gran angular	2.4
	Tele	2.4
Campo de visión angular	Horizontal	128°
	Vertical	92°
	Diagonal	172°
Tipo de montura		RJ12 connected with main unit
Control de enfoque		Fixed

Medioambiental y eléctrico

Condición de funcionamiento	Temperaturas	-30°C~+55°C(-22°F~+131°F)
	Humedad	0~95% RH
Condición de almacenamiento	Temperaturas	-50°C~+60°C(-58°F~+140°F)
	Humedad	Less than 90% RH

Mecánico

Color	Black
Material	Metal
Dimensiones del producto	Lens: ø35x63.2mm(ø1.38x2.49"), Cable: 8m(26.2ft)
Peso del producto	Lens: 102.3g(0.23lb), Cable: 350g(0.77lb)
Supported Products	PNM-C20000QB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Certificaciones y estándares

EMC	FCC 47 CFR 15 Subpart B Class A, ICES-3(A)/NMB-3(A), CE/UKCA EN 55032 Class A, EN 50130-4, EN 61000-3-2, EN 61000-3-3, VCCI CISPR 32 Class A, RCM AS/NZS CISPR 32 Class A, KS C 9832 Class A, KS C 9835
Seguridad	UL 62368-1, CAN/CSA C22.2 NO. 62368-1
Medioambiente	IEC 60529 IP66, NEMA 250 type 4X, IEC 60068-2-1, IEC 60068-2-2, IEC 60068-2-6, IEC 60068-2-14, IEC 60068-2-27, IEC 60068-2-78

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-F2480WA


Módulo de lente impermeable de 5MP





CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.