

SLA-F2480WA

Moduł obiektywu wodoodpornego 5MP

Key Features

- Kompaktowy, cylindryczny design
- Stała ogniskowa 2,4 mm
- 128° poziome pole widzenia (HFoV)
- Klasa IP66 i NEMA 4X dla solidnej odporności na warunki środowiskowe
- Kabel 8 m dla elastycznej instalacji
- Kompatybilny z PNM-C20000QB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-F2480WA

Moduł obiektywu wodoodpornego 5MP





Specifications

Wideo

Urządzenie obrazujące	Rozmiar	1/2.8"
	Typ	CMOS
Min. oświetlenie (luks)	Kolor (1/30 s, 30 IRE)	0.1
	BW (1/30 s, 30 IRE)	0.1

Obiektyw

Ogniskowa (mm)		2.4
Maksymalny współczynnik przysłony (wartość F)	Szeroki	2.4
	Tele	2.4
Kąt widzenia	Poziomo	128°
	Pionowo	92°
	Po przekątnej	172°
Typ mocowania		RJ12 connected with main unit
Sterowanie ostrością		Fixed

Środowisko i elektryka

Warunki pracy	Temperatura	-30°C~+55°C(-22°F~+131°F)
	Wilgotność	0~95% RH
Warunki przechowywania	Temperatura	-50°C~+60°C(-58°F~+140°F)
	Wilgotność	Less than 90% RH

Mechaniczny

Kolor	Black
Materiał	Metal
Wymiary produktu	Lens: ø35x63.2mm(ø1.38x2.49"), Cable: 8m(26.2ft)
Waga produktu	Lens: 102.3g(0.23lb), Cable: 350g(0.77lb)
Supported Products	PNM-C20000QB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Certyfikaty i normy

EMC	FCC 47 CFR 15 Subpart B Class A, ICES-3(A)/NMB-3(A), CE/UKCA EN 55032 Class A, EN 50130-4, EN 61000-3-2, EN 61000-3-3, VCCI CISPR 32 Class A, RCM AS/NZS CISPR 32 Class A, KS C 9832 Class A, KS C 9835
Bezpieczeństwo	UL 62368-1, CAN/CSA C22.2 NO. 62368-1
Środowisko	IEC 60529 IP66, NEMA 250 type 4X, IEC 60068-2-1, IEC 60068-2-2, IEC 60068-2-6, IEC 60068-2-14, IEC 60068-2-27, IEC 60068-2-78

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-F2480WA


Moduł obiektywu wodoodpornego 5MP





CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.