

SLA-F4780VA

Module de lentille 5MP

Key Features

- Type discret à trou d'épingle
- Design compact de type cube
- Longueur focale fixe de 4,72 mm
- Champ de vision horizontal (HFoV) de 70°
- Câble de 8 m pour une installation flexible
- Compatible avec PNM-C20000QB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-F4780VA

Module de lentille 5MP



Specifications

Vidéo

Capteur	Taille	1/2.8"
	Type	CMOS
Éclairage Illumination (Lux)	Couleur (1/30 s, 30 IRE)	0.09
	N&B (1/30 s, 30 IRE)	0.09

Objectif

Distance focale (mm)		4.72
Max. Rapport d'ouverture (nombre F)	Grand angle	2.07
	Télé	2.07
Champ de vision angulaire	Horizontal	70°
	Vertical	50°
	Diagonale	96°
Type de monture		RJ12 connecté à l'unité principale
Commande de mise au point		Fixe

Environnement et électricité

Conditions de fonctionnement	Température	-10°C ~ +55°C (+14°F ~ +131°F)
	Humidité	0~95% RH
Conditions de stockage	Température	-50°C~+60°C(-58°F~+140°F)
	Humidité	Less than 90% RH

Mécanique

Couleur	Noir
Matériau	Plastique, Métal
Dimensions du produit	30(W)x20.5(H)xD45mm(1.18x0.81x1.77"), Cable: 8m(26.2ft)
Poids du produit	44.4g(0.1lb), Cable: 350g(0.77lb)

Normes et Certifications

EMC	FCC 47 CFR 15 Subpart B Class A, ICES-3(A)/NMB-3(A), CE/UKCA EN 55032 Class A, EN 50130-4, EN 61000-3-2, EN 61000-3-3, VCCI CISPR 32 Class A, RCM AS/NZS CISPR 32 Class A, KS C 9832 Class A, KS C 9835

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Normes et Certifications

Sécurité	UL 62368-1, CAN/CSA C22.2 NO. 62368-1
Environnement	Aucun, IEC 60068-2-1, IEC 60068-2-2, IEC 60068-2-6, IEC 60068-2-14, IEC 60068-2-27, IEC 60068-2-78

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-F4780VA

Module de lentille 5MP



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Compatible Devices



PNM-C20000QB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.