

SLA-F4780VA

Modulo lente 5MP

Key Features

- Tipo discreto a foro stenopeico
- Design compatto a forma di cubo
- Lunghezza focale fissa di 4,72mm
- Campo visivo orizzontale (HFoV) di 70°
- Cavo da 8m per un'installazione flessibile
- Compatibile con PNM-C20000QB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-F4780VA

Modulo lente 5MP



Specifications

Video

Dispositivo di imaging	Dimensioni	1/2.8"
	Tipo	CMOS
Min. Illuminazione (Lux)	Colore (1/30 sec, 30IRE)	0.09
	B/N (1/30 sec, 30IRE)	0.09

Ottica

Lunghezza focale (mm)		4.72
Max. Rapporto di apertura (numero F)	Grandangolo	2.07
	Telescopico	2.07
Campo visivo angolare	Orizzontale	70°
	Verticale	50°
	Diagonale	96°
Tipo di montaggio		RJ12 connected with main unit
Controllo messa a fuoco		Fixed

Ambientale ed elettrico

Condizione operativa	Temperatura	-10°C ~ +55°C (+14°F ~ +131°F)
	Umidità	0~95% RH
Condizioni di conservazione	Temperatura	-50°C~+60°C(-58°F~+140°F)
	Umidità	Less than 90% RH

Meccanico

Colore	Black
Materiale	Plastic, Metal
Dimensioni del prodotto	30(W)x20.5(H)xD45mm(1.18x0.81x1.77"), Cable: 8m(26.2ft)
Peso del prodotto	44.4g(0.1lb), Cable: 350g(0.77lb)

Certificazioni e standard

EMC	FCC 47 CFR 15 Subpart B Class A, ICES-3(A)/NMB-3(A), CE/UKCA EN 55032 Class A, EN 50130-4, EN 61000-3-2, EN 61000-3-3, VCCI CISPR 32 Class A, RCM AS/NZS CISPR 32 Class A, KS C 9832 Class A, KS C 9835
Sicurezza	UL 62368-1, CAN/CSA C22.2 NO. 62368-1

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Certificazioni e standard

Ambientale	None, IEC 60068-2-1, IEC 60068-2-2, IEC 60068-2-6, IEC 60068-2-14, IEC 60068-2-27, IEC 60068-2-78

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SLA-F4780VA

Modulo lente 5MP



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Compatible Devices



PNM-C20000QB

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.