

SLA-M2890DN

1/2,8" CS-mount megapixelový objektiv s automatickou clonou

Key Features

- F1.2 DC typ automatická clona
- Varifokální 2,8 ~ 9 mm / 0,11" ~ 0,35"

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-M2890DN

1/2,8" CS-mount megapixelový objektiv s automatickou clonou



Specifications

Video

Zobrazovací zařízení	Rozměry	1/2,8"
	Typ	CMOS
Rozlišení		3MP

Objektiv

Ohnisková vzdálenost (mm)		2.8~9mm
Zadní ohnisková vzdálenost (mm)		7.52mm(0.3") (In air)
Zadní ohnisková vzdálenost příruby (mm)		12.5mm(0.49")
Poměr přiblížení a oddálení		3.2x
Max. poměr clony (číslo F)	Širokoúhlý	1.2
	Teleobjektiv	360
Úhel zorného pole	Horizontální	104.2°~33.7°
	Vertikální	77.2°~25.3°
	Diagonální	134.2°~42.7°
Typ držáku		CS držák

Mechanické parametry

Rozměry výrobku	45.0 x 51.5 x 54.3mm(1.77" x 2.03" x 2.14")
Hmotnost výrobku	84g(0.19lb)

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SLA-M2890DN

1/2,8" CS-mount megapixelový objektiv s automatickou clonou



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.