

SLA-M2890DN

Obiektyw megapikselowy Auto Iris z mocowaniem CS 1/2.8"

Key Features

- F1.2 DC typ auto iris
- Obiektyw zmiennoogniskowy 2,8 ~ 9mm / 0,11" ~ 0,35"

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-M2890DN

Obiektyw megapikselowy Auto Iris z mocowaniem CS 1/2.8"



Specifications

Wideo

Urządzenie obrazujące	Rozmiar	1/2,8
	Typ	CMOS
Rozdzielczość		3MP

Obiektyw

Ogniskowa (mm)		2.8~9mm
Ogniskowa tylna (mm)		7.52mm(0.3") (In air)
Ogniskowa tylna kołnierza (mm)		12.5mm(0.49")
Współczynnik zoomu		3.2x
Maksymalny współczynnik przysłony (wartość F)	Szeroki	1.2
	Tele	360
Kąt widzenia	Poziomo	104.2°~33.7°
	Pionowo	77.2°~25.3°
	Po przekątnej	134.2°~42.7°
Typ mocowania		Mocowanie CS

Mechaniczny

Wymiary produktu	45.0 x 51.5 x 54.3mm(1.77" x 2.03" x 2.14")
Waga produktu	84g(0.19lb)

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SLA-M2890DN

Obiektyw megapikselowy Auto Iris z mocowaniem CS 1/2.8"



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.