

SLA-T2480A



SLA-T2480A

2MP Lens Module

Key Features

- Color: 0.045Lux(F2.0, 1/30sec)
- 2.4mm fixed focal

Compatible Devices



PNM-9000QB



XNB-6002

SLA-T2480A

SLA-T2480A

2MP Lens Module



Specifications

映像

Imaging Device	サイズ	1/2.8"
	タイプ	CMOS
Min. Illumination (Lux)	Color(1/30sec, 30IRE)	0.045
	BW(1/30sec, 30IRE)	0.045

レンズ

Focal Length (mm)		2.4
Max. Aperture Ratio (F number)	Wide	2.0
	Tele	2.0
視野角度	Horizontal	138°
	Vertical	73°
	Diagonal	165°
Mount Type		RJ12 connected with main unit
Focus Control		Fixed

Environmental & Electrical

動作条件	温度	-10°C ~ +55°C (+14°F ~ +131°F)
	湿度	Less than 90% RH
保管条件	温度	-50°C ~ +60°C (-58°F ~ +140°F)
	湿度	Less than 90% RH

Mechanical

カラー	黒
材料	プラスチック
Product Dimensions	Ø24xL49.8mm
Product Weight	318g
Supported Products	XNB-6002, PNM-9000QB, PNM-C20000QB, XNB-A8004B

SLA-T2480A

2MP Lens Module



CAD

Unit: mm [inch]

