

SLA-T2480A



SLA-T2480A

Módulo de lente fixa de 2,4 mm

Key Features

SLA-T2480A

SLA-T2480A

Módulo de lente fixa de 2,4 mm



Specifications

Video		
Imaging Device	Size	1/2.8"
	Type	CMOS
Min. Illumination (Lux)	Color(1/30sec, 30IRE)	0.045
	BW(1/30sec, 30IRE)	0.045
Lens		
Focal Length (mm)		2.4
Max. Aperture Ratio (F number)	Wide	2.0
	Tele	2.0
Angular Field of View	Horizontal	138°
	Vertical	73°
	Diagonal	165°
Mount Type		RJ12 connected with main unit
Focus Control		Fixed
Environmental & Electrical		
Operating Condition	Temperature	-10°C ~ +55°C (+14°F ~ +131°F)
	Humidity	Less than 90% RH
Storage Condition	Temperature	-50°C~+60°C(-58°F~+140°F)
	Humidity	Less than 90% RH
Mechanical		
Color		Black
Material		Plastic
Product Dimensions		Ø24xL49.8mm
Product Weight		318g
Supported Products		XNB-6002, PNM-9000QB, PNM-C20000QB, XNB-A8004B

SLA-T2480A

Módulo de lente fixa de 2,4 mm



CAD

Unit: mm [inch]

