

SLA-T2480V



SLA-T2480V

2M Lens Module



Key Features

- Compatible with XNB-6001
- Max. 2Megapixel (1920 x 1080) resolution
- 0.45 Lux@F2.0
- 2.4mm fixed lens

SLA-T2480V

SLA-T2480V

2M Lens Module



Specifications

映像

Imaging Device	サイズ	1/2.8"
	タイプ	CMOS
Effective Pixels		1,945(H)x1,109(V) 2.16M
Min. Illumination (Lux)	Color(1/30sec, 30IRE)	0.45
	BW(1/30sec, 30IRE)	0.045

レンズ

Focal Length (mm)		2.4
Max. Aperture Ratio (F number)	Wide	2.0
視野角度	Horizontal	138°
	Vertical	73°
	Diagonal	165°
Mount Type		RJ12 connected with main unit
Focus Control		Fixed

Environmental & Electrical

動作条件	温度	-10°C ~ +55°C (+14°F ~ +131°F)
	湿度	Less than 90% RH
保管条件	温度	-50°C ~ +60°C (-58°F ~ +140°F)
	湿度	Less than 90% RH

Mechanical

カラー	黒
材料	プラスチック, Metal
Product Dimensions	30x27.9x45mm(1.18"x0.10"x1.77")
Product Weight	328g (0.72 lb)

SLA-T2480V

2M Lens Module



CAD

Unit: mm [inch]

