

SLA-T4680

2M Lens Module

Key Features

- Max. 2Megapixel (1920 x 1080) resolution
- 0.06 Lux@F2.5
- 4.6mm pinhole lens

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-T4680

2M Lens Module



Specifications

Video

Bildgebungsgerät	Größe	1/2.8"
	Typ	CMOS
Effektive Pixel		1,945(H)x1,109(V) 2.16M
Min. Beleuchtung (Lux)	Farbe (1/30 Sekunde, 30 IRE)	0.06
	S/W (1/30 Sekunde, 30 IRE)	0.06

Linse

Brennweite (mm)		4.6
Max. Öffnungsverhältnis (F-Zahl)	Weit	2.5
Winkel-Sichtfeld	Horizontal	73°
	Vertikal	39°
	Diagonal	85°
Halterungstyp		RJ12 connected with main unit
Fokussteuerung		Fixed

Umwelt & Elektrik

Betriebsbedingung	Temperatur	-10°C ~ +55°C (+14°F ~ +131°F)
	Luftfeuchtigkeit	Less than 90% RH
Lagerbedingung	Temperatur	-50°C~+60°C(-58°F~+140°F)
	Luftfeuchtigkeit	Less than 90% RH

Mechanisch

Farbe	Black
Material	Plastic
Produktabmessungen	ø24x42mm(ø0.94"x1.65")
Produktgewicht	310g (0.68 lb)

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SLA-T4680

2M Lens Module



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Compatible Devices



XNB-6001

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.