

SLA-T4680

Moduli obiettivo da 2 MP

Key Features

- Compatible with XNB-6001
- Risoluzione max 2 megapixel (1920 x 1080)
- 0,45 lux a F2.0
- 0,06 lux a F2.5
- Obiettivo fisso 2,4 mm

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

SLA-T4680

Moduli obiettivo da 2 MP



Specifications

Video

Dispositivo di imaging	Dimensioni	1/2.8"
	Tipo	CMOS
Pixel effettivi		1,945(H)x1,109(V) 2.16M
Min. Illuminazione (Lux)	Colore (1/30 sec, 30IRE)	0.06
	B/N (1/30 sec, 30IRE)	0.06

Ottica

Lunghezza focale (mm)		4.6
Max. Rapporto di apertura (numero F)	Grandangolo	2.5
Campo visivo angolare	Orizzontale	73°
	Verticale	39°
	Diagonale	85°
Tipo di montaggio		RJ12 connected with main unit
Controllo messa a fuoco		Fixed

Ambientale ed elettrico

Condizione operativa	Temperatura	-10°C ~ +55°C (+14°F ~ +131°F)
	Umidità	Less than 90% RH
Condizioni di conservazione	Temperatura	-50°C~+60°C(-58°F~+140°F)
	Umidità	Less than 90% RH

Meccanico

Colore	Black
Materiale	Plastic
Dimensioni del prodotto	ø24x42mm(ø0.94"x1.65")
Peso del prodotto	310g (0.68 lb)

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


SLA-T4680

Moduli obiettivo da 2 MP



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

Compatible Devices



XNB-6001

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.