

# SLA-T4680

## 2M Lens Module

## Key Features

- Compatible with XNB-6001
- Max. 2M (1920 x 1080) resolution
- 0.06 Lux@F2.5
- 4.6mm pinhole lens

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

# SLA-T4680

2M Lens Module



## Specifications

### 映像

| | | |
|---|---|---|
| Imaging Device | サイズ | 1/2.8" |
| | タイプ | CMOS |
| Effective Pixels | | 1,945(H)x1,109(V) 2.16M |
| Min. Illumination (Lux) | Color(1/30sec, 30IRE) | 0.06 |
| | BW(1/30sec, 30IRE) | 0.06 |

### レンズ

| | | |
|---|---|---|
| Focal Length (mm) | | 4.6 |
| Max. Aperture Ratio (F number) | Wide | 2.5 |
| 視野角度 | Horizontal | 73° |
| | Vertical | 39° |
| | Diagonal | 85° |
| Mount Type | | RJ12 connected with main unit |
| Focus Control | | Fixed |

### Environmental & Electrical

| | | |
|---|---|---|
| 動作条件 | 温度 | -10°C ~ +55°C (+14°F ~ +131°F) |
| | 湿度 | Less than 90% RH |
| 保管条件 | 温度 | -50°C~+60°C(-58°F~+140°F) |
| | 湿度 | Less than 90% RH |

### Mechanical

| | |
|---|---|
| カラー | 黒 |
| 材料 | プラスチック |
| Product Dimensions | ø24x42mm(ø0.94"x1.65") |
| Product Weight | 310g (0.68 lb) |

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


# SLA-T4680

2M Lens Module



## CAD

**Unit:** mm [inch]




Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

## Compatible Devices



XNB-6001

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.