



# SPI-BRNO

BCR Camera LED module




## Key Features

- Red LED Module for 3MP BCR Camera
- Power Consumption: 6.9 W
- LED Quantity: 16EA
- IP66/IP67(camera and front cover must be assembled)
- Operating Temperature / Humidity: -40°C~+55°C / 0~95% RH
- Compatible Camera: TNS-7000M
- Compatible Lenses: SLM-5M16, SLM-5M25

# SPI-BRN0

BCR Camera LED module




## Specifications

| Environmental                    |                                                                                |
|----------------------------------|--------------------------------------------------------------------------------|
| Operating Temperature / Humidity | -40°C~+55°C / 0~95% RH                                                         |
| Storage Temperature / Humidity   | -40°C ~ +60°C / Less than 95% RH                                               |
| Certification                    | FCC, UL, CE, KC, IEC 62471 IP66/IP67(camera and front cover must be assembled) |
| Electrical                       |                                                                                |
| Input Voltage                    | 24 VDC ± 10%                                                                   |
| Power Consumption                | 18 W                                                                           |
| Mechanical                       |                                                                                |
| Product dimensions / weight      | W101.2 x D53.8 x H78.2 / 200g                                                  |
| Supported products               | TNS-7000M                                                                      |
| LED                              |                                                                                |
| Wavelength                       | 617nm                                                                          |
| Quantity                         | 16EA                                                                           |
| Angle                            | FWHM : 17° 10~% : 32°                                                          |


# SPI-BRNO

BCR Camera LED module



## CAD

Unit: mm [inch]



|                         |                                                              |                                                                                                     |
|-------------------------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| 4                       | SPI-BBM0, SPI-BBM1, SPI-BBW0<br>SPI-BRM0, SPI-BRM1, SPI-BRW0 | '25.11.28                                                                                           |
| 3                       | SPI-BBN0, SPI-BRNO                                           | '25.09.30                                                                                           |
| 2                       | SPI-BWM0, SPI-BWM1, SPI-BWW0                                 | '25.08.13                                                                                           |
| 1                       | SPI-BWN0                                                     | '25.06.02                                                                                           |
| No.                     | MODEL NAME                                                   | DATE                                                                                                |
| Unit:mm[inch] SCALE:1/1 |                                                              |  Hanwha Vision |

© Hanwha Vision Co.,Ltd. All rights reserved.