



WRN-2110SB1

Edge Wave NVR



Key Features

- Podporováno klientem Wave, mobilní aplikací a Cloud Sync
- Podpora AI metadat
- 250 Mbps záznamová propustnost
- Podporuje až 40TB interní úložiště
- Výstupy HDMI/DP pro konfiguraci a základní monitorování
- 16 portů PoE/PoE+ s celkovým výkonovým rozpočtem 200W
- Obsahuje USB myš a montážní konzoly do racku

WRN-2110SB1

Edge Wave NVR



Specifications

System	
Recording Bandwidth	Up to 250Mbps
OS Drive Bays	eMMC 32GB
Data Drive Bays	SATA 4ea(Max. 40TB)
Data Storage	Up to 40TB
Network Interface	PoE RJ-45(Lan, 10/100) 16EA, RJ-45 2ea(WAN, 1Gbps)
Processor	Quad core
Memory	8GB DDR4
Operating System	Ubuntu Linux 22.04 LTS
IPMI	Not Supported
Video Outputs	1x HDMI, 1x DP
USB Ports	Front USB 2.0(2), Rear USB 3.0(2)
Other Ports	Audio output
Keyboard & Mouse	Not Included
Sliding Rail Kit	Not Included
Mechanical	
Color / Material	Black / Metal & Plastic
Dimensions (HxWxD)	17.32"(440mm) x 3.54"(89.8mm) x 16.78"(426.3mm)
Weight	12.26 lbs (5.56 Kg)
Electrical	
Power Input	100 ~ 240V AC
Power Consumption	80W
PoE Budget	200W
Environmental	
Operating Temperature	32°F to 104°F(0°C-40°C)
Operating Humidity	20% to 85% (non-condensing)


WRN-2110SB1

Edge Wave NVR



CAD

Unit: mm [inch]



© Hanwha Vision Co.,Ltd. All rights reserved.