

WRN-2110SB1

NVR Edge Wave

Key Features

- Supportato dal client Wave, mobile e Cloud Sync
- Supporta i metadati di Intelligenza Artificiale
- 250 Mbps di capacità di registrazione
- Supporta fino a 40TB di storage interno
- Uscite monitor HDMI/DP per configurazione e monitoraggio di base
- 16 porte PoE/PoE+, con un budget di potenza totale di 200W
- Include mouse USB e staffe per montaggio su rack

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

WRN-2110SB1

NVR Edge Wave



Specifications

System	
Recording Bandwidth	Up to 250Mbps
OS Drive Bays	eMMC 32GB
Data Drive Bays	SATA 4ea(Max. 40TB)
Data Storage	Up to 40TB
Network Interface	PoE RJ-45(Lan, 10/100) 16EA, RJ-45 2ea(WAN, 1Gbps)
Processor	Quad core
Memory	8GB DDR4
Operating System	Ubuntu LInux 22.04 LTS
IPMI	Not Supported
Video Outputs	1x HDMI, 1x DP
USB Ports	Front USB 2.0(2), Rear USB 3.0(2)
Other Ports	Audio output
Keyboard & Mouse	Not Included
Sliding Rail Kit	Not Included

Mechanical	
Color / Material	Black / Metal & Plastic
Dimensions (HxWxD)	17.32"(440mm) x 3.54"(89.8mm) x 16.78"(426.3mm)
Weight	12.26 lbs (5.56 Kg)

Electrical	
Power Input	100 ~ 240V AC
Power Consumption	80W
PoE Budget	200W

Environmental	
Operating Temperature	32°F to 104°F(0°C-40°C)
Operating Humidity	20% to 85% (non-condensing)

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.


WRN-2110SB1

NVR Edge Wave



CAD

Unit: mm [inch]



Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.